


Rare Earth Magnetic Bases - Multi-purpose

Part No.	Image	Drawing	Pull Strength	Mounting	Case Material	Magnet Material	Max. Temp.
----------	-------	---------	---------------	----------	---------------	-----------------	------------

MH137-1A



15 lbs.
(7 kg)

1/4-28
Integral
Stud

Stainless
Steel


Neodymium

80°C

**Multi-Purpose Magnetic Base
Low Profile for Small Sensors**



MH112-1A



30 lbs.
(14 kg)

1/4-28
Integral
Stud


Stainless
Steel

Neodymium 80°C

**Multi-Purpose Magnetic Base
Low Profile**



MH128-1A



30 lbs.
(14 kg)

1/4-28
Mounting
Hole


Stainless
Steel

Neodymium 80°C

Multi-Purpose Magnetic Base



MH114-3A



50 lbs.
(23 kg)

1/4-28
Mounting
Hole


Stainless
Steel

Neodymium 80°C

**Multi-Purpose Magnetic Base
Low Profile**



MH214-3A with Hexagonal Wrench



50 lbs.
(23 kg)

1/4-28
Integral
Rotating
Mounting
Nut

Stainless
Steel

Neodymium 80°C



Product Purpose

**For Use With AC116-1A/AC216-1A
Magnet Mount Accelerometer**

The MH214-3A Easy Positioning Curved Surface Magnet can be adjusted so that the 2 poles of the magnet can be parallel to the data collector cable, perpendicular to the data collector cable, or in any rotational reference to the data collector cable that you like. An aluminum hex wrench is included with each magnet for easy adjustment.



magnet feet
parallel
with
sensor cable



magnet feet
perpendicular
with
sensor cable



magnet feet
rotated
with
sensor cable

